

PAT-NO: JP406256203A
DOCUMENT-IDENTIFIER: JP 06256203 A
TITLE: THERAPEUTIC MEDICINE FOR DERMATITIS
SUCH AS ATOPIC DERMATITIS OR THE LIKE
PUBN-DATE: September 13, 1994

INVENTOR-INFORMATION:
NAME
KUGA, MASA AKI

ASSIGNEE-INFORMATION:	
NAME	COUNTRY
KUGA TAKA AKI	N/A
KUGA MASA AKI	N/A

APPL-NO: JP05093519
APPL-DATE: March 2, 1993

INT-CL (IPC): A61K035/78, A61K035/12 , A61K035/64

ABSTRACT:

PURPOSE: To obtain a therapeutic medicine for various dermatitides such as hardly curable atopic dermatitis, not followed by itch and pain, having highly remedying effect free from side effect.

CONSTITUTION: Crude medicines such as root of Angelica acutiloba, root of Paeonia albiflora, root of Angelia duhurica, bark of Cinnamomum cassia, root of Rehmannia glutionsa, rhizome of Coptis japonica, root of Scutellaria baicalensis, root of Ladebouriella seseloides, whole grass of Schizonpeta

tenuifolia, rhizome of *Atractylodes ovata*, etc., boiled in a vegetable oil such as olive oil to give an extracted solution, from which a solid substance is removed by filtration or other means. The resultant substance is dissolved in bees wax and cooled to give an ointment, which is mixed with a horse oil to give a therapeutic medicine.

COPYRIGHT: (C)1994,JPO&Japio

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 06-256203

(43)Date of publication of application : 13.09.1994

(51)Int.Cl.

A61K 35/78
A61K 35/12
A61K 35/64
// (A61K 35/78
A61K 35:12)

(21)Application number : 05-093519

(71)Applicant : KUGA TAKAAKI
KUGA MASAACKI

(22)Date of filing : 02.03.1993

(72)Inventor : KUGA MASAACKI

(54) THERAPEUTIC MEDICINE FOR DERMATITIS SUCH AS ATOPIC DERMATITIS OR THE LIKE

(57)Abstract:

PURPOSE: To obtain a therapeutic medicine for various dermatitides such as hardly curable atopic dermatitis, not followed by itch and pain, having highly remedying effect free from side effect.

CONSTITUTION: Crude medicines such as root of Angelica acutiloba, root of Paeonia albiflora, root of Angelia duhurica, bark of Cinnamomum cassia, root of Rehmannia glutiosa, rhizome of Coptis japonica, root of Scutellaria baicalensis, root of Ladebouriella seseloides, whole grass of Schizonpeta tenuifolia, rhizome of Atractylodes ovata, etc., boiled in a vegetable oil such as olive oil to give an extracted solution, from which a solid substance is removed by filtration or other means. The resultant substance is dissolved in bees wax and cooled to give an ointment, which is mixed with a horse oil to give a therapeutic medicine.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined the extract which began to boil these and obtained them with olive oil, and the oil of a horse combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and sow JUTSU.

[Claim 2] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined the extract which began to boil these and obtained them with sesame oil, and the oil of a horse combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and sow JUTSU.

[Claim 3] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined the extract which began to boil these and obtained them with vegetable oil, and the oil of a horse combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and sow JUTSU.

[Claim 4] The therapeutic drug to the various skin disease characterized by making into an effective principal component the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and sow JUTSU.

[Claim 5] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extract which began to boil these and obtained them with olive oil combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 6] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extract which began to boil these and obtained them with sesame oil combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 7] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extract which began to boil these and obtained them with vegetable oil combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 8] The therapeutic drug to the various skin disease characterized by making into an effective principal component suitably the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, and ZENTAI.

[Claim 9] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extract which began to boil these and obtained them with olive oil combining the vegetable drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and body sulfur, and the oil of a horse.

[Claim 10] The therapeutic drug to the various skin disease suitably characterized by making into an effective principal component what combined the extractives which began to boil these and obtained them with sesame oil combining an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the vegetable drug of the *Rheum undulatum*, and the oil of a horse.

[Claim 11] The therapeutic drug to the various skin disease suitably characterized by making into an effective principal component what combined the extractives which began to boil these and obtained them with vegetable oil combining an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, sow JUTSU, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the vegetable drug of the *Rheum undulatum*, and the oil of a horse.

[Claim 12] An *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria*

root, Ledebouriella, Schizonepetae herba, sow JUTSU, Akebia quinata, GOHOUSHI, ZENTAI, gene gin, the therapeutic drug to the various skin disease characterized by making into an effective principal component suitably the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining the vegetable drug of the Rheum undulatum.

[Claim 13] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extractives which began to boil these and obtained them with olive oil combining the vegetable drug of an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, sow JUTSU, Akebia quinata, GOHOUSHI, ZENTAI, gene gin, the Rheum undulatum, a cork tree bark, and a gardeniae fructus, and the oil of a horse.

[Claim 14] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined suitably the extractives which began to boil these and obtained them with sesame oil combining the vegetable drug of an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, sow JUTSU, Akebia quinata, GOHOUSHI, ZENTAI, gene gin, the Rheum undulatum, a cork tree bark, and a gardeniae fructus, and the oil of a horse.

[Claim 15] The therapeutic drug to the various skin disease characterized by making into an effective principal component suitably the extractives which began to boil these and obtained them with vegetable oil combining the vegetable drug of an angericae radix, a peony, HYAKUSHI, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, sow JUTSU, Akebia quinata, GOHOUSHI, ZENTAI, gene gin, the Rheum undulatum, a cork tree bark, and a gardeniae fructus.

[Claim 16] A therapeutic drug [as opposed to the feature and NA ***** skin disease for making into an effective principal component suitably the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining the vegetable drug of an angericae radix a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa a coptis root a Scutellaria root POUFUU, Schizonepetae herba, sow JUTSU, Akebia quinata, GOHOUSHI, ZENTAI gene gin, the Rheum undulatum, a cork tree bark, and a gardeniae fructus].

[Translation done.]

Data Missing

This document resulted from a POST operation and has expired from the cache. If you wish you can repost the form data to recreate the document by pressing the **reload** button.

*** NOTICES ***

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

TECHNICAL PROBLEM

[Problem(s) to be Solved by the Device] Since the conventional therapeutic drug could not fully press down the itching of the disorder section, the disorder section was scratched in many cases, and the curative effect was barred in many cases. For this reason, it is a technical problem for there not to be itching and a side effect with *****, and to obtain the large therapeutic drug of an effect to the disorder of atopic dermatitis. Moreover, it is a technical problem for an ache and a side effect not to be almost similarly, and to obtain the large therapeutic drug of an effect also to skin disease, such as stomatitis and external-auditory-meatus flame.

[Translation done.]

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

MEANS

[Means for Solving the Problem] The therapeutic drug to skin disease, such as an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, atopic dermatitis that makes what combined the extract which began to boil these and obtained them with vegetable oil, such as olive oil, combining the vegetable drug of sow JUTSU, and the oil of a horse an effective principal component, stomatitis and external-auditory-meatus flame, a burn, and a cut.

[Translation done.]

Data Missing

This document resulted from a POST operation and has expired from the cache. If you wish you can repost the form data to recreate the document by pressing the **reload** button.

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

(11)特許出願公開番号

特開平6-256203

(43)公開日 平成6年(1994)9月13日

(51)Int.Cl. ⁵	識別記号	庁内整理番号	FI	技術表示箇所
A 6 1 K 35/78	ADA W	7167-4C		
35/12		7431-4C		
35/64		7431-4C		
// (A 6 1 K 35/78				
35:12)		7431-4C		

審査請求 未請求 請求項の数16 書面 (全 6 頁)

(21)出願番号 特願平5-93519

(22)出願日 平成5年(1993)3月2日

(71)出願人 592151890

久我 高昭

愛媛県新居浜市坂井町3丁目14番52号

(71)出願人 593077490

久我 正明

愛媛県北条市辻826番地5号

(72)発明者 久我 正明

愛媛県北条市辻826番地5号

(54)【発明の名称】 アトピー性皮膚炎等皮膚疾患治療薬

(57)【要約】

【目的】治療が困難なアトピー性皮膚炎等の各種皮膚疾患に対して、かゆみ、痛みを伴わず、かつ副作用のない治療効果の大きい薬を得ることである。

【構成】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ等の生薬を組み合わせてこれらをオリーブ油等の植物油で煮出して、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合して作った治療薬。

2

【請求項9】 トウキ、シャクヤク、ビャクシ、ケイヒ、
 ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガ

【請求項16】 トウキ、シャクヤク、ビャクシ、ケイ
ヒ、ジュクジオー、オウレン、オウゴン、ボウフウ、ケ
イガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、

ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。

【発明の詳細な説明】

【0001】

【産業上の利用分野】アトピー性皮膚炎、口内炎、外耳道炎、火傷、切り傷、その他の皮膚治療薬として利用される。

【0002】

【従来の技術】従来は、実用新案登録願平成5年2月8日提出の同一人出願による皮膚疾患治療薬がある。しかしながら、その治療薬はその疾患部のかゆみを充分におさえることができない。

【0003】

【考案が解決しようとする課題】従来の治療薬は、疾患部のかゆみを充分におさえることができないので、その疾患部を引っ掻くことが多く、治療効果が妨げられることが多かった。このためアトピー性皮膚炎の疾患に対して、かゆみと副作用がほとんどなく、かつ効果の大きい治療薬を得ることが課題である。また口内炎、外耳道炎等の皮膚疾患に対しても、同様に痛みと副作用がほとんどなく、かつ効果の大きい治療薬を得ることが課題である。

【0004】

【課題を解決するための手段】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油等の植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とするアトピー性皮膚炎、口内炎・外耳道炎、火傷、切り傷等の皮膚疾患に対する治療薬。

【0005】

【作用】本発明の治療薬を局所に軽く塗布するか、ガーゼや紙などに伸ばして貼布することによりアトピー性皮膚炎、口内炎、外耳道炎、火傷、切り傷等の皮膚疾患に作用してかゆみ、副作用がほとんどなく、かつ効果が大きい治療ができる。またその治療中に疾患部のかゆみをおさえることができるので、その疾患部を引っ掻くことが少なくなり、治療効果が大きく作用する。

【0006】

【実施例1】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0007】

【実施例2】トウキ、シャクヤク、ビヤクシ、ケイヒ、

ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0008】

【実施例3】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0009】

【実施例4】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0010】

【実施例5】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0011】

【実施例6】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを胡麻油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0012】

【実施例7】トウキ、シャクヤク、ビヤクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを植物油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合して

つくった各種皮膚疾患に対する各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0013】

【実施例8】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを馬の油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0014】

【実施例9】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0015】

【実施例10】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0016】

【実施例11】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0017】

【実施例12】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0018】

【実施例13】トウキ、シャクヤク、ビャクシ、ケイ

ヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

10 【0019】

【実施例14】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

20 【0020】

【実施例15】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

30 【0021】

【実施例16】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを馬の油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。

40 【0022】

【実施例17】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

50 【0023】

【実施例18】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン・オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0024】

【実施例19】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0025】

【実施例20】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0026】

【実施例21】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0027】

【実施例22】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0028】

【実施例23】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0029】

【実施例24】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを馬の油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。

【0030】

【実施例25】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0031】

【実施例26】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ・ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0032】

【実施例27】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0033】

【実施例28】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0034】

【実施例29】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0035】

【実施例30】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0036】

【実施例31】トウキ、シャクヤク、ビャクシ、ケイ

ヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0037】

【実施例32】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0038】

【発明の効果】治療が困難なアトピー性皮膚炎に対してこれらの薬を用いることにより、ほとんど副作用がなく、かつその患部のかゆみが抑えられるため、その患部を引っ掻くことが非常に少なくなり、従来よりきわめて有効な治療ができる。口内炎、外耳道炎に対しては、これらの薬を用いることにより同様にほとんど副作用もなくかつ、痛みがなくなるため、従来よりきわめて有効な治療ができる。また、これらの薬を用いることにより、火傷、蓄膿症、鼻炎による嗅覚低下症、鼻炎による鼻づまり、しもやけ、切り傷、その他各種皮膚疾患にも同様に作用してきわめて有効な治療できる。そして舌痛症も従来はこの症例に有効なものはないが、これらの薬は有効である。